

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**1 Identification****Product identifier****Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR**Other means of identification****Application of the substance / the mixture:** Ball point pen ink**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**Micronova Manufacturing  
3431 West Lomita Boulevard  
Torrance, CA, 90505, USA  
Tel: +1 (310)784-6990  
Fax: +1 (310)784-6980  
Email: [quality@micronova-mfg.com](mailto:quality@micronova-mfg.com)  
[www.micronova-mfg.com](http://www.micronova-mfg.com)**Emergency telephone number:**CHEMTREC: +1 703-741-5970 (24h)  
CHEMTREC International: +1(703) 527-3887 (24 hours)  
+1 (800)424-9300**2 Hazard(s) identification****Classification of the substance or mixture**Skin irritation 2 H315 Causes skin irritation.  
Eye damage 1 H318 Causes serious eye damage.  
Reproductive toxicity 1B H360 May damage fertility or the unborn child.  
Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation.**Label elements****GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**

GHS05 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**2-Phenoxyethanol  
N-methyl-2-pyrrolidone**Hazard statements**H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H360 May damage fertility or the unborn child.  
H335 May cause respiratory irritation.**Precautionary statements:**P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 If on skin: Wash with plenty of water.  
P310 Immediately call a poison center/doctor.  
P321 Specific treatment (see on this label).

# Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

- P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional Information:**

**Information pertaining to particular dangers for man and environment:**

**Classification system:**

**NFPA ratings (scale 0 - 4)**



**HMIS-ratings (scale 0 - 4)**



**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

**Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### 3 Composition/information on ingredients

**Description:** Mixture: consisting of the following components.

<b>Hazardous Components:</b>		
122-99-6	2-Phenoxyethanol Eye damage 1, H318; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335	≥20-≤60%
872-50-4	N-methyl-2-pyrrolidone Reproductive toxicity 1B, H360; Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335; Flammable liquids 4, H227 Specific concentration limit: STOT SE 3; H335: C ≥ 10 %	≥15-≤60%
<b>Information on components:</b>		
122-99-6	2-Phenoxyethanol Eye damage 1, H318; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335	≥20-≤60%

### 4 First-aid measures

**Description of first aid measures**

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:**

In case of unconsciousness place patient stably in side position for transportation.

## Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

Call a doctor immediately.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:** Call for a doctor immediately.

**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

In case of inhalation of decomposition products in a fire, symptoms may be delayed.  
Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

Water spray  
Foam  
Dry chemical  
Carbon dioxide  
If individual marker should catch fire, douse with or immerse in plain water.

**Special hazards arising from the substance or mixture**

Emits toxic fumes under fire conditions.  
Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides

**Advice for firefighters**

**Protective equipment:**

Wear a positive pressure self-contained breathing apparatus  
Wear fully protective suit.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Do not touch or walk through spilled material.

**Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

**Methods and material for containment and cleaning up:**

Broken packages or leaking markers: sweep into closable container to disposal.  
Use neutralizing agent.  
Ensure adequate ventilation.  
Dispose contaminated material as waste according to section 13.

**Special spill response procedures:**

**Protective Action Criteria for Chemicals**

PAC-1:		
122-99-6	2-Phenoxyethanol	5.7 mg/m3
872-50-4	N-methyl-2-pyrrolidone	80 mg/m3

# Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

<b>PAC-2:</b>		
122-99-6	2-Phenoxyethanol	42 mg/m <sup>3</sup>
872-50-4	N-methyl-2-pyrrolidone	170 mg/m <sup>3</sup>
<b>PAC-3:</b>		
122-99-6	2-Phenoxyethanol	250 mg/m <sup>3</sup>
872-50-4	N-methyl-2-pyrrolidone	780 mg/m <sup>3</sup>

**Reference to other sections**

See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

**7 Handling and storage**

**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 Prevent formation of aerosols.  
 Do not eat, drink, smoke or sniff while working.

**Information about protection against explosions and fires:**

Keep respiratory protective device available.

**Conditions for safe storage, including any incompatibilities**

**Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.  
 Store in cool, dry conditions in well sealed receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

<b>872-50-4 N-methyl-2-pyrrolidone</b>		
WEEL	Long-term value: 10 ppm	
	Skin	

**Ingredients with biological limit values:**

<b>872-50-4 N-methyl-2-pyrrolidone</b>		
BEI	100 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone	

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.

**Safety Data Sheet**  
According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

Store protective clothing separately.  
Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Tightly sealed goggles

Goggles recommended during refilling.

**Body protection:** Protective work clothing**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information**

<b>Physical state</b>	Liquid
<b>Color:</b>	Black
<b>Odor:</b>	Solvent-like
<b>Odor threshold:</b>	Not determined.
<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	200 °C (392 °F)
<b>Flammability:</b>	Not determined.
<b>Explosion limits:</b>	
<b>Lower:</b>	1.3 Vol %
<b>Upper:</b>	9.5 Vol %
<b>Flash point:</b>	107.3 °C (225.1 °F)
<b>Auto-ignition temperature:</b>	270 °C (518 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>pH-value at 20 °C (68 °F):</b>	4-5
<b>Viscosity:</b>	
<b>Kinematic:</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.

# Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

<b>Vapor pressure:</b>	Not determined.
<b>Vapor pressure:</b>	
<b>Density at 20 °C (68 °F):</b>	1.1 g/cm <sup>3</sup> (9.1795 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Particle characteristics</b>	Not applicable.
<b>Other information</b>	
<b>Appearance:</b>	
<b>Form:</b>	Viscous liquid.
<b>Danger of explosion:</b>	Product does not present an explosion hazard. Not determined.
<b>Flammability Limits:</b>	
<b>Lower:</b>	Not Determined.
<b>Upper:</b>	Not Determined.
<b>VOC content:</b>	≥50-≤100 %
<b>Solids content:</b>	0.0 %
<b>Oxidizing properties</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**10 Stability and reactivity**

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**  
Oxidizing agents.  
Acids

**Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

<b>LD/LC50 values that are relevant for classification:</b>		
<b>122-99-6 2-Phenoxyethanol</b>		
Oral	LD50	1,394 mg/kg (ATE) 1,260 mg/kg (Rat)
Dermal	LD50	5,000 mg/kg (rabbit)
<b>872-50-4 N-methyl-2-pyrrolidone</b>		
Oral	LD50	3,914 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (rabbit)

**Primary irritant effect:**  
**on the skin:** Irritant to skin and mucous membranes.  
**on the eye:** Strong irritant with the danger of severe eye injury.

**Sensitization:** No sensitizing effects known.  
**Reproductive toxicity** May damage fertility or the unborn child.  
**Specific target organ toxicity - single exposure** May cause respiratory irritation.

# Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

**Interactive effects** No interactive effects between components are known.

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>
None of the ingredients are listed.
<b>NTP (National Toxicology Program)</b>
None of the ingredients are listed.
<b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>
None of the ingredients are listed.

**Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

**12 Ecological information**

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability** No further relevant information available.

**Bioaccumulative potential** Bioaccumulation is not expected.

**Mobility in soil** No further relevant information available.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects**

**Additional ecological information**

**General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

**13 Disposal considerations**

**Waste treatment methods**

**Recommendation:**

Disposal must be made in accordance with official regulations.

Do not allow product to reach sewage system.

**Uncleaned packagings:**

**Recommendation:**

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

**Recommended cleansing agent:** Water, if necessary with cleaning agents.

**14 Transport information**

**UN-Number**

DOT, ADR, IMDG, IATA

Not applicable.

**UN proper shipping name**

DOT, ADR, IMDG, IATA

Not applicable.

## Safety Data Sheet

According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR

**Transport hazard class(es)**

**DOT, ADR, ADN, IMDG, IATA Class**

Not applicable.

**Packing group**

**DOT, ADR, IMDG, IATA**

Not applicable.

**Environmental hazards:**

Not applicable.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**Special precautions for user**

Not applicable.

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

**Sara**

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

122-99-6	2-Phenoxyethanol
----------	------------------

872-50-4	N-methyl-2-pyrrolidone
----------	------------------------

**USA - TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**

**Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

872-50-4	N-methyl-2-pyrrolidone
----------	------------------------

**Carcinogenic categories**

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**Safety Data Sheet**  
According to OSHA HazCom Standard [2012]

Date of issue: 12/10/2025

Version 1

Reviewed on 12/10/2025

**Trade name:** PEN-01, PEN-01IR, PEN-02, PEN-02IR, PEN-03, PEN-03IR, PEN-11, PEN-11IR, PEN-12, PEN-12IR**Hazard pictograms**

GHS05 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**2-Phenoxyethanol  
N-methyl-2-pyrrolidone**Hazard statements**H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H360 May damage fertility or the unborn child.  
H335 May cause respiratory irritation.**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 If on skin: Wash with plenty of water.  
P310 Immediately call a poison center/doctor.  
P321 Specific treatment (see on this label).  
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Date of previous version** 12/10/2025**Date of preparation** 12/10/2025**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
BEI: Biological Exposure Limit  
Flammable liquids 4: Flammable liquids – Category 4  
Acute toxicity - oral 4: Acute toxicity – Category 4  
Skin irritation 2: Skin corrosion/irritation – Category 2  
Eye damage 1: Serious eye damage/eye irritation – Category 1  
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A  
Reproductive toxicity 1B: Reproductive toxicity – Category 1B  
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3